

according to Regulation (EC) No 1907/2006

## Multifix USF, Comp. A

Revision date: 26.05.2020

Page 1 of 11

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Multifix USF, Comp. A 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture Adhesive mortar for fastening elements A-component (resin) Uses advised against no restriction 1.3. Details of the supplier of the safety data sheet Company name: EJOT Baubefestigungen GmbH Geschäftsbereich Building Fasteners Street: In der Stockwiese 35 Place: D-57334 Bad Laasphe Telephone: +46 19 20 65 00 e-mail: www.ejot.de Medical emergency information in the event of poisoning: 1.4. Emergency telephone Giftinformationszentrum Mainz - 24h - Tel .: +49 (0) 6131 19240 (advice in number: German or English)

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories: Respiratory or skin sensitisation: Skin Sens. 1 Specific target organ toxicity - single exposure: STOT SE 3 Hazard Statements: May cause an allergic skin reaction. May cause respiratory irritation.

## 2.2. Label elements

## Regulation (EC) No. 1272/2008

## Hazard components for labelling

Ethylene dimethacrylate; Methacrylic acid, monoester with propane-1,2-diol Warning

Signal word:

## **Pictograms:**



## Hazard statements

H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.

### Precautionary statements

P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/international



according to Regulation (EC) No 1907/2006

# Multifix USF, Comp. A

Revision date: 26.05.2020

Page 2 of 11

regulation.

## Additional advice on labelling

For distribution to the general public (consumers) additionally indicate voluntarily: P101 If medical advice is needed, have product container or label at hand. P102 Keep out of the reach of children.

#### 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### Hazardous components

Chemical name			Quantity
EC No	Index No	REACH No	
GHS Classification			
Ethylene dimethacrylate			5 - < 20 %
202-617-2	607-114-00-5	01-2119965172-38	
Skin Sens. 1, STOT SE 3;	H317 H335		
Methacrylic acid, monoest	er with propane-1,2-diol		1 - < 10 %
248-666-3		01-2119490226-37	
Eye Irrit. 2, Skin Sens. 1; I	H319 H317	-	
1,1'-(p-Tolylimino)dipropar	n-2-ol		1 - < 5 %
254-075-1		01-2119980937-17	
Acute Tox. 2, Aquatic Chro	onic 3; H300 H412		
1-Isopropyl-2,2-dimethyltri	methylene Diisobutyrate		< 0,5 %
229-934-9		01-2119451093-47	
Repr. 2, Aquatic Chronic 3	3; H361d H412		
	EC NoEC NoGHS ClassificationEthylene dimethacrylate202-617-2Skin Sens. 1, STOT SE 3;Methacrylic acid, monoest248-666-3Eye Irrit. 2, Skin Sens. 1; H1,1'-(p-Tolylimino)dipropar254-075-1Acute Tox. 2, Aquatic Chro1-Isopropyl-2,2-dimethyltri229-934-9	EC NoIndex NoGHS ClassificationEthylene dimethacrylate202-617-2607-114-00-5Skin Sens. 1, STOT SE 3; H317 H335Methacrylic acid, monoester with propane-1,2-diol248-666-3Eye Irrit. 2, Skin Sens. 1; H319 H3171,1'-(p-Tolylimino)dipropan-2-ol254-075-1Acute Tox. 2, Aquatic Chronic 3; H300 H4121-Isopropyl-2,2-dimethyltrimethylene Diisobutyrate	EC No Index No REACH No   GHS Classification Ethylene dimethacrylate 01-2119965172-38   202-617-2 607-114-00-5 01-2119965172-38   Skin Sens. 1, STOT SE 3; H317 H335 Methacrylic acid, monoester with propane-1,2-diol   248-666-3 01-2119490226-37   Eye Irrit. 2, Skin Sens. 1; H319 H317 01-2119490226-37   54-075-1 01-2119980937-17   Acute Tox. 2, Aquatic Chronic 3; H300 H412 01-2119980937-17   1-Isopropyl-2,2-dimethyltrimethylene Diisobutyrate 01-2119451093-47

Full text of H and EUH statements: see section 16.

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

Remove affected person from the danger area and lay down. Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention if you feel unwell.

#### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

### After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Medical treatment necessary.

## 4.2. Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.



according to Regulation (EC) No 1907/2006

## Multifix USF, Comp. A

Page 3 of 11

### Revision date: 26.05.2020

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Foam Extinguishing powder Water spray jet Carbon dioxide (CO2)

#### Unsuitable extinguishing media

Full water jet

### 5.2. Special hazards arising from the substance or mixture

Pyrolysis products, toxic Carbon monoxide

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. In case of fire and/or explosion do not breathe fumes.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

Collect spillage. Take up mechanically, placing in appropriate containers for disposal. Suitable material for taking up: Sand Treat the recovered material as prescribed in the section on waste disposal.

Retain contaminated washing water and dispose it.

## 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Use only outdoors or in a well-ventilated area. Wear personal protection equipment (refer to section 8). Avoid contact with skin, eyes and clothes. When using do not eat, drink or smoke. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities



according to Regulation (EC) No 1907/2006

# Multifix USF, Comp. A

Revision date: 26.05.2020

Page 4 of 11

## Requirements for storage rooms and vessels

Keep container tightly closed.

Store in a place accessible by authorized persons only.

Keep only in the original container in a cool, well-ventilated place.

## Hints on joint storage

Do not use for products which come into contact with the food stuffs.

#### Further information on storage conditions

storage temperature: 5 - 25°C

## 7.3. Specific end use(s)

Adhesive mortar for fastening elements A-component (resin)

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

## **DNEL/DMEL values**

CAS No	Substance	_	_	
DNEL type		Exposure route	Effect	Value
97-90-5	Ethylene dimethacrylate			
Worker DNEL	., long-term	inhalation	systemic	2,45 mg/m³
Worker DNEL	., long-term	dermal	systemic	1,3 mg/kg bw/day
27813-02-1	Methacrylic acid, monoester with propane-1,2-diol			
Worker DNEL	., long-term	inhalation	systemic	14,7 mg/m <sup>3</sup>
Worker DNEL	., long-term	dermal	systemic	4,2 mg/kg bw/day
Consumer DN	IEL, long-term	inhalation	systemic	8,8 mg/m <sup>3</sup>
Consumer DN	IEL, long-term	dermal	systemic	2,5 mg/kg bw/day
Consumer DN	IEL, long-term	oral	systemic	2,5 mg/kg bw/day
6846-50-0	1-IsopropyI-2,2-dimethyltrimethylene Diisobutyrate			
Worker DNEL	., long-term	dermal	systemic	5 mg/kg bw/day
Worker DNEL	., long-term	inhalation	systemic	17,62 mg/m <sup>3</sup>
Consumer DN	IEL, long-term	inhalation	systemic	4,35 mg/m³
Consumer DN	IEL, long-term	oral	systemic	5 mg/kg bw/day
Consumer DN	IEL, long-term	dermal	systemic	5 mg/kg bw/day



according to Regulation (EC) No 1907/2006

## Multifix USF, Comp. A

Revision date: 26.05.2020

Page 5 of 11

## **PNEC** values

CAS No	Substance	
Environmer	ntal compartment	Value
97-90-5	Ethylene dimethacrylate	
Freshwater		0,139 mg/l
Marine wate	er	0,014 mg/l
Marine wate	er (intermittent releases)	0,15 mg/l
Freshwater	sediment	1,6 mg/kg
Marine sedi	iment	0,16 mg/kg
Micro-organ	nisms in sewage treatment plants (STP)	57 mg/l
Soil		0,239 mg/kg
27813-02-1	Methacrylic acid, monoester with propane-1,2-diol	
Freshwater		0,904 mg/l
Marine wate	er	0,904 mg/l
Freshwater	sediment	6,28 mg/kg
Marine sedi	iment	6,28 mg/kg
Micro-organ	nisms in sewage treatment plants (STP)	10 mg/l
Soil		0,727 mg/kg
6846-50-0	1-IsopropyI-2,2-dimethyltrimethylene Diisobutyrate	
Freshwater		0,014 mg/l
Marine wate	er	0,001 mg/l
Freshwater	sediment	5,29 mg/kg
Marine sedi	iment	0,529 mg/kg
Soil		1,05 mg/kg

### Additional advice on limit values

This mixture contains quartz filler which is firmly bound in the pasty component, and thus not freely available during use, so that a risk of dust inhalation is excluded. Exposure limit values for respirable dusts are not relevant for this product.

#### 8.2. Exposure controls







### Appropriate engineering controls

Provide adequate ventilation. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

## Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Draw up and observe skin protection programme. Wash hands thoroughly after handling. When using do not eat, drink or smoke.

## Eye/face protection

Wear eye protection/face protection. Wear safety glasses.

## Hand protection

Disposable gloves Recommended material: NBR (Nitrile rubber) Breakthrough time: > 480 min Thickness of the glove material: > 0,2 mm



according to Regulation (EC) No 1907/2006

# Multifix USF, Comp. A

Revision date: 26.05.2020

Page 6 of 11

## DIN-/EN-Norms: EN 374

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Skin protection

Wear suitable protective clothing.

## **Respiratory protection**

In case of inadequate ventilation wear respiratory protection. Respiratory protection with combination filter A1P2 (organic gases/vapors and particles) recommended.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Colour:	Paste light beige
pH-Value:	not determined
Changes in the physical state	
Melting point: Initial boiling point and boiling range:	not determined not determined
Flash point:	not applicable
Flammability	ποι αρρικαρίε
Solid:	not determined
Gas:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Auto-ignition temperature	
Solid: Gas:	not determined not applicable
Decomposition temperature:	not determined
Oxidizing properties Not oxidising.	
Vapour pressure:	not determined
Density (at 20 °C):	1,71 g/cm <sup>3</sup>
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.
Solubility in other solvents not determined	
Partition coefficient:	not determined
Vapour density:	not determined
Evaporation rate:	not determined
9.2. Other information	
Solid content:	not determined

# SECTION 10: Stability and reactivity



according to Regulation (EC) No 1907/2006

# Multifix USF, Comp. A

Revision date: 26.05.2020

Page 7 of 11

## 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Response: Oxidising agent, strong

#### 10.4. Conditions to avoid

Heat. Keep cool. Protect from sunlight.

## 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

#### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
97-90-5	Ethylene dimethacryla	te				
	oral	LD50 87 mg/kg	700	Rat		
	dermal	LD50 > 2 mg/kg	2000	Rat		
27813-02-1	Methacrylic acid, mono	pester with prop	pane-1,2	2-diol		
	oral	LD50 > 2 mg/kg	2000	Rat		
	dermal	LD50 > mg/kg	5000	Rabbit		
38668-48-3	1,1'-(p-Tolylimino)dipro	pan-2-ol				
	oral	LD50 27 mg/kg	7,5	Rat		
	dermal	LD50 > 2 mg/kg	2000	Rat		
6846-50-0	1-IsopropyI-2,2-dimethyltrimethylene Diisobutyrate					
	oral	LD50 32 mg/kg	200	Rat		
	dermal	LD50 18 mg/kg	3900	Guinea pig		

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

## Sensitising effects

May cause an allergic skin reaction. (Ethylene dimethacrylate; Methacrylic acid, monoester with propane-1,2-diol)

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

## Multifix USF, Comp. A

Revision date: 26.05.2020

Page 8 of 11

## STOT-single exposure

May cause respiratory irritation. (Ethylene dimethacrylate)

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

#### **Further information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## **SECTION 12: Ecological information**

### 12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
97-90-5	Ethylene dimethacrylate	;					
	Acute fish toxicity	LC50 mg/l	15,95	96 h	Brachydanio rerio (zebra-fish)		
	Acute algae toxicity	ErC50 mg/l	17,3		Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 mg/l	44,9		Daphnia magna (Big water flea)		
	Crustacea toxicity	NOEC mg/l	13,2	2 d			
27813-02-1	Methacrylic acid, monoe	ester with p	propane-1,2	2-diol			
	Acute algae toxicity	ErC50 mg/l	> 97,2		Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 mg/l	> 143		Daphnia magna (Big water flea)		
	Algae toxicity	NOEC	mg/l				
38668-48-3	1,1'-(p-Tolylimino)diprop	an-2-ol					
	Acute fish toxicity	LC50	17 mg/l	96 h	Brachydanio rerio (zebra-fish)		
	Acute algae toxicity	ErC50	245 mg/l		Desmodesmus subspicatus		
	Acute crustacea toxicity	EC50 mg/l	28,8		Daphnia magna (Big water flea)		
6846-50-0	1-Isopropyl-2,2-dimethy	ltrimethyle	ne Diisobut	yrate			
	Algae toxicity	NOEC mg/l	2,25	3 d			

## 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d Source	
	Evaluation			
97-90-5	Ethylene dimethacrylate			
	OECD 301D	71 %	28	
27813-02-1	Methacrylic acid, monoester with propane-1,2-c	loib		
	OECD 301C	81%	28	

## 12.3. Bioaccumulative potential



according to Regulation (EC) No 1907/2006

# Multifix USF, Comp. A

Page 9 of 11

Revision date: 26.05.2020

## The product has not been tested.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
97-90-5	Ethylene dimethacrylate	2,4
27813-02-1	Methacrylic acid, monoester with propane-1,2-diol	0,97
38668-48-3	1,1'-(p-Tolylimino)dipropan-2-ol	2,1
6846-50-0	1-IsopropyI-2,2-dimethyltrimethylene Diisobutyrate	4,91

#### 12.4. Mobility in soil

The product has not been tested.

## 12.5. Results of PBT and vPvB assessment

The product has not been tested.

### 12.6. Other adverse effects

No information available.

### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Subsequent waste code numbers of the European Waste Catalogue are considered as recommendations. Dispose of waste according to applicable legislation. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### List of Wastes Code - residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

#### List of Wastes Code - used product

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

## List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

## **SECTION 14: Transport information**

### Land transport (ADR/RID)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

## Multifix USF, Comp. A

Page 10 of 11

Revision date: 26.05.2020

# Inland waterways transport (ADN)

# 14.1. UN number:

**14.2. UN proper shipping name: 14.3. Transport hazard class(es):** 

# 14.4. Packing group:

# Marine transport (IMDG)

# <u>14.1. UN number:</u>

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

## Air transport (ICAO-TI/IATA-DGR)

## 14.1. UN number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

# 14.4. Packing group:

## 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

## 14.6. Special precautions for user

No information available.

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU regulatory information

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III) (SEVESO III):

## Additional information

VOC content: 6,9 % (DIN EN ISO 11890-2)

To follow: 850/2004/EC , 79/117/EEC , 689/2008/EC

## National regulatory information

Employment restrictions:

Water hazard class (D): Skin resorption/Sensitization: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). 1 - slightly hazardous to water Causes allergic hypersensitivity reactions.

## **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 2,3,8.

## Abbreviations and acronyms

ADN: Accord européen relativ au transport international des marchandises Dangereuses par voie de Navigation



according to Regulation (EC) No 1907/2006

# Multifix USF, Comp. A

Revision date: 26.05.2020

Page 11 of 11

(European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) ADR: Accord européen sur le transport des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road) CAS: Chemical Abstracts Service CLP: Classification, Labeling and Packaging DMEL: Derived Minimal Effect level DNEL: Derived No Effect Level EC50: Effective concentration, 50% ErC50: EC50 in terms of reduction of growth rate IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations (DRG) for the air transport (IATA) IMDG: International Maritime Code for Dangerous Goods LC50: Lethal concentration, 50% LD50: Lethal dose, 50% NOEC: No Observed Effect Concentration OECD: Oragnisation for Economic Co-operation and Development PBT: persistent, bioaccumulative and toxic vPvB: very persistent and very bioaccumulative PNEC: Predicted No Effect Concentration REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses (Regulations Concerning the International Carriage of Dangerous Goods by Rail) VOC: Volatile organic compound Acute Tox. 2: Acute toxicity, Category 2 Aquatic Chronic 3: Long-term aquatic hazard, Category 3 Eve Irrit, 2: Serious eve damage/eve irritation, Category 2 Skin Sens. 1: Skin sensitilization, Category 1

STOT SE 3: Specific target organ toxicity (single exposure), Category 3

#### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure	
Skin Sens. 1; H317	Calculation method	
STOT SE 3; H335	Calculation method	

#### Relevant H and EUH statements (number and full text)

H300	Fatal if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H361d	Suspected of damaging the unborn child.
H412	Harmful to aquatic life with long lasting effects.

## **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



according to Regulation (EC) No 1907/2006

# Multifix USF, Comp. B

Revision date: 26.05.2020

Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Multifix USF, Comp. B

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

compound mortar B-component (hardener)

## Uses advised against

no restriction

#### 1.3. Details of the supplier of the safety data sheet

Company name:	EJOT Baubefestigungen GmbH Geschäftsbereich Building Fasteners
Street:	In der Stockwiese 35
Place:	D-57334 Bad Laasphe
Telephone: e-mail:	+46 19 20 65 00 www.ejot.de
<u>1.4. Emergency telephone</u> number:	Medical emergency information in the event of poisoning: Giftinformationszentrum Mainz - 24h - Tel .: +49 (0) 6131 19240 (advice in German or English)

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

Hazard categories: Serious eye damage/eye irritation: Eye Irrit. 2 Respiratory or skin sensitisation: Skin Sens. 1 Hazard Statements: Causes serious eye irritation. May cause an allergic skin reaction.

#### 2.2. Label elements

#### Regulation (EC) No. 1272/2008

#### Hazard components for labelling Dibenzoyl peroxide

Signal word: Warning

#### **Pictograms:**



## Hazard statements

H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.

### Precautionary statements

oouullonuly olulo	
P261	Avoid breathing vapours.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/international regulation.



according to Regulation (EC) No 1907/2006

# Multifix USF, Comp. B

Revision date: 26.05.2020

Page 2 of 10

## Additional advice on labelling

For distribution to the general public (consumers) additionally indicate voluntarily: P101 If medical advice is needed, have product container or label at hand. P102 Keep out of the reach of children.

### 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name	Quantity				
	EC No					
	GHS Classification					
94-36-0	Dibenzoyl peroxide					
	202-327-6	617-008-00-0	01-2119511472-50			
	Org. Perox. B, Eye Irrit. 2, Skin Sens. 1, Aquatic Acute 1 (M-Factor = 10), Aquatic Chronic 1 (M-Factor = 10); H241 H319 H317 H400 H410					

Full text of H and EUH statements: see section 16.

#### **Further Information**

The product has been tested for aquatic toxicity. The tests show no need for classification of the product as toxic and harmful to aquatic life. Test reports are available.

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information**

First aider: Pay attention to self-protection! Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention if you feel unwell.

#### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Medical treatment necessary.

#### 4.2. Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction. Causes serious eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

## Suitable extinguishing media

Foam



according to Regulation (EC) No 1907/2006

# Multifix USF, Comp. B

Revision date: 26.05.2020

Extinguishing powder Water spray jet Carbon dioxide (CO2)

## Unsuitable extinguishing media

Full water jet

## 5.2. Special hazards arising from the substance or mixture

Pyrolysis products, toxic Carbon monoxide

### 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

Collect spillage. Take up mechanically, placing in appropriate containers for disposal. Suitable material for taking up: Sand

Treat the recovered material as prescribed in the section on waste disposal. Retain contaminated washing water and dispose it.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Use only outdoors or in a well-ventilated area. Wear personal protection equipment (refer to section 8). Avoid contact with skin, eyes and clothes. When using do not eat, drink or smoke. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Store in a place accessible by authorized persons only. Keep only in the original container in a cool, well-ventilated place.

#### Hints on joint storage

Do not store together with: Oxidising agent, strong Do not use for products which come into contact with the food stuffs.

### Further information on storage conditions

Keep container tightly closed in a cool place.

Page 3 of 10



according to Regulation (EC) No 1907/2006

# Multifix USF, Comp. B

Page 4 of 10

Revision date: 26.05.2020

storage temperature: 5 - 25°C

## 7.3. Specific end use(s)

see section 1.2

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
94-36-0	Dibenzoyl peroxide	-	5		TWA (8 h)	WEL
56-81-5	Glycerol, mist	-	10		TWA (8 h)	WEL

## **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
94-36-0	Dibenzoyl peroxide			
Consumer D	NEL, long-term	oral	systemic	2 mg/kg bw/day
Worker DNE	E, long-term	dermal	systemic	13,3 mg/kg bw/day
Worker DNE	L, long-term	inhalation	systemic	39 mg/m³

#### **PNEC** values

CAS No	Substance				
Environmental compartment Value					
94-36-0	Dibenzoyl peroxide				
Freshwater 0,00002 mg/l					
Marine water 0,00002 mg/l					
Freshwater sediment 0,013 mg/kg					
Marine sediment 0,001 mg					

## Additional advice on limit values

This mixture contains quartz filler which is firmly bound in the pasty component, and thus not freely available during use, so that a risk of dust inhalation is excluded. Exposure limit values for respirable dusts are not relevant for this product.

#### 8.2. Exposure controls






Provide adequate ventilation. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

#### Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Draw up and observe skin protection programme. Wash hands thoroughly after handling. When using do not eat or drink.

## Eye/face protection

Wear eye protection/face protection. Wear safety glasses.





according to Regulation (EC) No 1907/2006

# Multifix USF, Comp. B

Page 5 of 10

Revision date: 26.05.2020

## Hand protection

Disposable gloves Recommended material: NBR (Nitrile rubber) Breakthrough time: > 480 min Thickness of the glove material: > 0,2 mm DIN-/EN-Norms: EN 374

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

## Skin protection

Wear suitable protective clothing.

### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection. Respiratory protection with combination filter A1P2 (organic gases/vapors and particles) recommended.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state:	Paste
Colour:	black
Odour:	characteristic
pH-Value:	not applicable
Changes in the physical state	
Melting point:	not determined
Initial boiling point and boiling range:	not determined
Flash point:	not applicable
Flammability	
Solid:	not determined
Gas:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Auto-ignition temperature	
Solid:	not determined
Gas:	not applicable
Decomposition temperature:	not determined
Oxidizing properties	
Not oxidising.	
Available oxygen content (%) < 1% no classification	
Vapour pressure:	not determined
Density (at 20 °C):	1,59 g/cm³
Water solubility:	The study does not need to be conducted
	because the substance is known to be insoluble in water.
Solubility in other solvents	
not determined	
Partition coefficient:	not determined



Revision date: 26.05.2020

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# Multifix USF, Comp. B

Page 6 of 10

Vapour density:	not determined
Evaporation rate:	not determined
9.2. Other information	
Solid content:	not determined

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

see section 10.3

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Violent reaction with: Oxidising agent

### 10.4. Conditions to avoid

see section 7.2

10.5. Incompatible materials

Oxidising agent, strong

## 10.6. Hazardous decomposition products

Benzoic acid Benzene Biphenyl

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
94-36-0	Dibenzoyl peroxide							
		LD50 mg/kg	> 5000	Rat				

## Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

## Sensitising effects

May cause an allergic skin reaction. (Dibenzoyl peroxide)

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

#### **Further information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].



according to Regulation (EC) No 1907/2006

# Multifix USF, Comp. B

Revision date: 26.05.2020

Page 7 of 10

## **SECTION 12: Ecological information**

## 12.1. Toxicity

The product is not: Ecotoxic.

OECD 201 (Desmodesmus subspicatus ) IC10: (0 - 72 h) = 30 mg/l IC50: (0 - 72 h) = 150 mg/l

OECD 202 (Daphnia magna) EC0/NOEC (48h) = 100 mg/l EC50 (48h) = >500 mg/l EC100 (48h) = >>500 mg/l

OECD 203 (Danio rerio) LC0/NOEC : 250 mg/l LC50 :> 500 mg/l LC100 :>> 500 mg/l

CAS No	Chemical name							
	Aquatic toxicity	Dose	ose [h]   [d] Species		Source	Method		
94-36-0	0 Dibenzoyl peroxide							
	Acute fish toxicity	LC50 mg/l	0,0602		Oncorhynchus mykiss (Rainbow trout)	OECD 203		
	Acute algae toxicity	ErC50 mg/l	0,0711		Pseudokirchneriella subcapitata	OECD 201		
	Acute crustacea toxicity	EC50	0,11 mg/l		Daphnia magna (Big water flea)	OECD 202		
	i i gele termentj	NOEC mg/l	0,02		Pseudokirchneriella subcapitata	OECD 201		
		NOEC mg/l	0,001		Daphnia magna (Big water flea)	OECD 211		
	Acute bacteria toxicity	(35 mg/l)		0,5 h		OECD 209		

## 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
94-36-0	Dibenzoyl peroxide			
	OECD 301D	71%	28	
	Readily biodegradable (according to OECD criteria	l).		

#### 12.3. Bioaccumulative potential

The product has not been tested.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
94-36-0	Dibenzoyl peroxide	3,2

## 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The product has not been tested.



according to Regulation (EC) No 1907/2006

# Multifix USF, Comp. B

Page 8 of 10

Revision date: 26.05.2020

## 12.6. Other adverse effects

No information available.

## Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

### **Disposal recommendations**

Subsequent waste code numbers of the European Waste Catalogue are considered as recommendations. Dispose of waste according to applicable legislation. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### List of Wastes Code - residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

## List of Wastes Code - used product

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

#### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

## **SECTION 14: Transport information**

## Land transport (ADR/RID)

14.1. UN number:No dang14.2. UN proper shipping name:No dang14.3. Transport hazard class(es):No dang14.4. Packing group:No dang

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

#### Inland waterways transport (ADN)

14.1. UN number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

#### 14.4. Packing group:

Marine transport (IMDG)

#### 14.1. UN number:

14.2. UN proper shipping name:
14.3. Transport hazard class(es):

14.4. Packing group:

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

# Multifix USF, Comp. B

Page 9 of 10

Revision date: 26.05.2020

### Air transport (ICAO-TI/IATA-DGR)

#### 14.1. UN number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

#### 14.4. Packing group:

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

## 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

## 14.6. Special precautions for user

No information available.

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU regulatory information

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III) (SEVESO III):

## Additional information

VOC content: 4,3 % (DIN EN ISO 11890-2)

To follow: 850/2004/EC , 79/117/EEC , 689/2008/EC

## National regulatory information

Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D):	1 - slightly hazardous to water
Skin resorption/Sensitization:	Causes allergic hypersensitivity reactions.

## **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 3,8.

#### Abbreviations and acronyms

ADN: Accord européen relativ au transport international des marchandises Dangereuses par voie de Navigation

(European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) ADR: Accord européen sur le transport des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road) CAS: Chemical Abstracts Service CLP: Classification, Labeling and Packaging DMEL: Derived Minimal Effect level

DMEL: Derived Minimal Effect level

DNEL: Derived No Effect Level

EC50: Effective concentration, 50% IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations (DRG) for the air transport (IATA)

ICAO: International Civil Aviation Organization

IC50: Inhibitory concentration, 50%

IMDG: International Maritime Code for Dangerous Goods

- LC50: Lethal concentration, 50%
- LD50: Lethal dose, 50%

NOEC: No Observed Effect Concentration



according to Regulation (EC) No 1907/2006

# Multifix USF, Comp. B

Revision date: 26.05.2020

Page 10 of 10

OECD: Oragnisation for Economic Co-operation and Development PBT: persistent, bioaccumulative and toxic vPvB: very persistent and very bioaccumulative PNEC: Predicted No Effect Concentration REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses (Regulations Concerning the International Carriage of Dangerous Goods by Rail) VOC: Volatile organic compound Aquatic Acute 1: Acute aquatic hazard, Category 1 Aquatic Chronic 1: Long-term aquatic hazard, Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Category 2 Skin Sens. 1: Skin sensitilization, Category 1 Org. Perox. B: Organic Peroxides, Type B

## Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method

### Relevant H and EUH statements (number and full text)

H241	Heating may cause a fire or explosion.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)